

NONWOVEN PPE — GOWNS



FLUID RESISTANCE LEGEND

Basic Coverage



Designed for low exposure. The level of fluid resistance is minimal. For use in settings where there is no spraying or splashing of fluids.

Fluid Resistant



Designed for mid-range exposure. The level of fluid resistance is low to moderate. For use in settings where there is low to moderate spraying or splashing of fluids.

Fluid Barrier



Designed for high risk exposure. The level of fluid resistance is high. For use in settings where there is probable occurrence of spraying or splashing of fluids.

Impervious




Designed for the highest exposure. Passes ASTM F1670, Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Synthetic Blood and ASTM F1671, Standard Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Blood-Borne Pathogens Using Phi-X174 Bacteriophage Penetration as a Test System.

Encompass provides no warranty against transmission of blood-borne diseases. For more information about Techstyles disposable protective products please contact your Encompass sales representative.

Techstyles® nonwoven precaution and protective gowns provide the quality infection control barriers you need to perform confidently and comfortably under pressure.

Proper selection of protective apparel is essential to successfully limiting exposure and reducing potential cross-contamination as rapidly emerging health threats have become the new normal for healthcare workers nationwide.

Our precaution gowns are available in a wide variety of performance rated materials from basic coverage to impervious and the protective gowns include three AAMI levels.

 **encompass**

Better care starts
with safety and comfort.

NONWOVEN PROTECTIVE GOWNS



SafeCare® Protective Gowns LATEX FREE

CAT NO	DESCRIPTION	MATERIAL	SIZE	COLOR	QTY/CASE
46969-087	Protective Gown	SBPP	Large	Yellow	100 EA
46969-187	Protective Gown	SBPP	X-Large	Blue	50 EA

AAMI Level	Applicable Test	Required Result	Exposure Risk
1	AATCC 42 - Impact Penetration Test	<= 4.5 g	Minimal

SafeCare® Protective Gowns LATEX FREE

CAT NO	DESCRIPTION	MATERIAL	SIZE	COLOR	QTY/CASE
46969-088	Protective Gown	SBPP	Universal	Yellow	100 EA

AAMI Level	Applicable Test	Required Result	Exposure Risk
2	AATCC 42 - Impact Penetration Test AATCC 127 - Hydrostatic Pressure Test	<= 1.0g >= 20 cm	Low



SafeCare® Protective Gowns LATEX FREE

CAT NO	DESCRIPTION	MATERIAL	SIZE	COLOR	QTY/CASE
46969-089	Protective Gown	SBPP	Universal	Yellow	100 EA

AAMI Level	Applicable Test	Required Result	Exposure Risk
3	AATCC 42 - Impact Penetration Test AATCC 127 - Hydrostatic Pressure Test	<= 1.0g >= 50 cm	Moderate

Basic Coverage
Fluid Resistant
Fluid Barrier
Impervious

NONWOVEN PRECAUTION GOWNS

SafeCare® Precaution Gowns

LATEX
FREE



SafeCare Gowns
(46969-098, 46969-099, 46969-100)



SafeCare Gowns
(46969-075, 46969-076B, 46969-076)



Thumb-Loop Detail



46969-097X

SafeCare nonwoven precaution gowns are latex-free and available in a full range of precaution categories.

- Four levels of coverage
- Sonic or heat sealed seams
- Thumb-loop or elastic wrist
- Tie Waist
- Velcro® or slip-over neck
- Full or half-back

CONSTRUCTION

CAT NO	SEAM	NECK	WRIST	BACK	MATERIAL	SIZE	COLOR	PACKAGING	QTY/CASE
 46969-075	Sonic	Velcro	Elastic	Full	SBPP	Universal	Yellow	10/BG, 10/CS	100 EA
 46969-076	Sonic	Velcro	Elastic	Full	SMS	Universal	Yellow	10/BG, 10/CS	100 EA
 46969-076B	Sonic	Velcro	Elastic	Full	SMS	Universal	Blue	10/BG, 10/CS	100 EA
 46969-099	Sonic	Velcro	Elastic	Half	PE/SMS	Universal	White	10/BG, 5/CS	50 EA
 46969-100	Sonic	Velcro	Elastic	Full	PE/SMS	Universal	White	10/BG, 5/CS	50 EA
 46969-097X	Heat	Slip-Over	Thumb Loop	Half	PE	X-Large	Blue	15/BX, 5/CS	75 EA
 46969-097XB	Heat	Slip-Over	Thumb Loop	Half	PE	X-Large	Blue	100 Bulk	100 EA
 46969-098	Heat	Slip-Over	Thumb Loop	Half	PE	Large	Yellow	100 Bulk	100 EA



Basic Coverage



Fluid Resistant



Fluid Barrier



Impervious

NONWOVEN PRECAUTION GOWNS

ValueCare® Precaution Gowns LATEX FREE



ValueCare Gowns
(4620-250, 4620-240, 4600-350)



4640-140


















ValueCare Gowns
(4540-140, 4640-145)



Half Back Detail

CONSTRUCTION

CAT NO	SEAM	NECK	WRIST	BACK	MATERIAL	SIZE	COLOR	PACKAGING	QTY/CASE
 4600-340	Sewn	Tie	Elastic	Full	SBPP	Large	Yellow	10/BG, 5/CS	50 EA
 4600-350	Sewn	Tie	Elastic	Full	SBPP	X-Large	Yellow	10/BG, 5/CS	50 EA
 4600-370	Sewn	Tie	Elastic	Full	SBPP	3X-Large	Yellow	10/BG, 5/CS	50 EA
 4620-240	Sewn	Tie	Elastic	Full	SMS & SBPP	Large	Blue	10/BG, 5/CS	50 EA
 4620-250	Sewn	Tie	Elastic	Full	SMS & SBPP	X-Large	Blue	10/BG, 5/CS	50 EA
 4620-340	Sewn	Tie	Elastic	Full	SMS & SBPP	Large	Yellow	10/BG, 5/CS	50 EA
 4620-350	Sewn	Tie	Elastic	Full	SMS & SBPP	X-Large	Yellow	10/BG, 5/CS	50 EA
 4540-140	Sewn	Tie	Elastic	Half	PE/SBPP	Large	White	10/BG, 5/CS	50 EA
 4540-150	Sewn	Tie	Elastic	Half	PE/SBPP	X-Large	White	10/BG, 5/CS	50 EA
 4540-145	Sewn	Tie	Knit	Half	PE/SBPP	Large	White	10/BG, 5/CS	50 EA
 4540-155	Sewn	Tie	Knit	Half	PE/SBPP	X-Large	White	10/BG, 5/CS	50 EA
 4640-140	Sewn	Tie	Elastic	Full	PE/SBPP	Large	White	10/BG, 5/CS	50 EA
 4640-150	Sewn	Tie	Elastic	Full	PE/SBPP	X-Large	White	10/BG, 5/CS	50 EA
 4640-145	Sewn	Tie	Knit	Full	PE/SBPP	Large	White	10/BG, 5/CS	50 EA
 4640-155	Sewn	Tie	Knit	Full	PE/SBPP	X-Large	White	10/BG, 5/CS	50 EA



Basic Coverage



Fluid Resistant



Fluid Barrier



Impervious

TECHstyles®

800-284-4540 | www.encompassgroup.net

© 2010 Encompass Group, LLC
All Rights Reserved
Lit. No. AC10165 rev. 11/10